Phase of Wood Case History

Emotional Problems

CC:


- Suffers from coughs Diagnosed as asthmatic.
- Prophylactic inhalator and singular (Montelukast).
- He had a period of sever attacks of coughing using steroids P.O.
- Using herbs therapy but the mother not pleased with the treatment.
- They tried acupuncture but he is resisting.
- It all started when he started to go to the kinder garden, but become permanent after a vaccination.

- Atopic Dermatitis started now.
- Red face typical.
- He had a period of sever attacks of coughing using steroids P.O.
- Using herbs therapy but the mother not pleased with the treatment.
- They tride acupuncture but he is resisting.
- It all started when he started to go to the kinder garden.

- Pregnancy:
- 3 months after the death of her aunt.
- Growth monitoring a lot of stress. In the last weeks monitoring every day.
- Developed eclampsia around the stress week 36.
- **Birth:** End of week 36 2 Kg.
- **Stools:** Every 2-3 days.
- Not sweat at night but moves a lot.
- Happy child, active, turbo, full of energy.
- **Fears** a bit.

Anger:

- Throws himself on the floor. Sometime throwing things. Not violent.
- Low frustration threshold.




- 1. The problems started when he started to go to the kinder garden.
- 2. It become stable after vaccination.
- 3. He has a nephew with asthma.
- 4. Not sweat at nights.

Niv (2 1/2)

No siblings

12.5.14 (1 weeks later) Treatment No. 2				
Number	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	

- A strong reaction to the treatment. Physical and emotional reaction throw things. Cry a lot, very extreme.
- Difficulty to sleep at noon. Calm in a holiday party he likes company.
- At the first nights strong and dry coughs the mother had to breath deeply. In the morning big change, the coughs stopped and the rhinitis become minor.
- 3 nights he slept he even not asked for a bottle.
- 3 nights ago sleep a bit less good, the rhinitis appear again.
- The wet cough was stable, and not developed as usual.
- Skeen After the first day it looked better.
- More calm. Red face less. Less Salivation not sure.



Niv (2 1/2)

No siblings

26.5.14 (2 weeks later) Treatment No. 3					
Number	Time from previous treatment	Date	Treatment		
1	-	5.5.14	CO-11		
2	1 week	12.5.14	CO-11(G)		

• Since the last treatment he is talking while sleeping – not typical.

/H \

• The salivation and the rush around the moth came back.

\V /

- Breathing: OK.
- Started to use less inhalation.

- T: LIV-2°, Herbs
- From yesterday, attack of dry cough, he was awake two and a half hours.
- The grandmother is in hospital, the mother is less at home. It might be the reason to the attack.
- **M.D:** The lungs are clean.

Niv (2 1/2)

No siblings

26.5.14 (2 weeks later) Treatment No. 4				
Number	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	

- After the treatment there was improvement.
- **Reaction to the treatment:** 2 nights he was crying while sleeping.
- Redness and rush around the moth: back from time to time.
- **Eyes:** Infection in the eye from time to time for a few months the mother suffered from problems in the eyes as a child.
- They started weaning from bottles.
- They stopped inhalation in the evenings.
- They want to stop with the Singular.

Niv (2 1/2)

No siblings

26.5.14 (2 weeks later) Treatment No. 4				
Number	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	

• Emotionally: less angry

• **A.D:** OK

• **Sleeping:** In the last two nights – improvement. Moves a lot.

• **Eyes:** Infection in the eye from time to time for a few months – the mother suffered from problems in the eyes as a child

• **Rhinitis:** Relatively light – the mother is allergic.

\V /


T: SP-6

Niv (2 1/2)

No siblings

23.6.14 (2 weeks later) Treatment No. 5				
Number	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	
4	2 weeks	9.6.14	SP-6	

- He stopped eating from bottles.
- Sleep all night.
- Started weaning diapers.
- Fever after swimming in cold water.
- **Breathing:** with no medication, used herbs in 2 episodes.
- More calm.
- Still drama and frustration.



T: KID-3

Niv (2 1/2)

No siblings

7.7.14 (2 weeks later) Treatment No. 6				
Number	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	
4	2 weeks	9.6.14	SP-6	
5	2 weeks	23.6.14	KID-3	

• **Breathing:** OK

• Weaning fro dippers: OK

• Frustration and drama: Improvement. In each treatment he ask me to puncture him in his palm – opposite to CO-2

• **Emotionally and verbally:** Big jump.

• It is easer with him, the mother feels more connected to him.

/_H \

• There is calmness that was never before.

• **Red chicks:** Still, but less.

Fears: In the last two weeks he came to the parents bed few times.

T: KID-10


• **Anger:** Can throw things.

Niv (2 1/2)

No siblings

23.7.14 (2 weeks later) Treatment No. 7				
Number	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	
4	2 weeks	9.6.14	SP-6	
5	2 weeks	23.6.14	KID-3	
6	2 weeks	7.7.14	KID-10	

- The first week was good.
- One week ago he started rhinitis and cough, together with emotional sensitivity. A lot of crying. Need his mother.
- The teacher is missing already 3 weeks.
- He got Ventolin and herbs.
- He want to do every thing by himself, if not he throw himself.
- Weaning from dippers: Very good.
- **Sleeping:** Sweat at nights, sometimes sleep on the floor.





T: GV-16(G)

Niv (2 1/2)


No siblings

(2 weeks later) Treatment No. 8				
Number	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	
4	2 weeks	9.6.14	SP-6	
5	2 weeks	23.6.14	KID-3	
6	2 weeks	7.7.14	KID-10	
7	2 weeks	23.7.14	GV-16(G)	

4.8.14

•	Reaction	to	treatment:	3-4	days.
---	----------	----	------------	-----	-------

- **Phlegm:** Now better, still improving.
- **Emotions:** Reasonable.
- **Sleeping:** Difficulty to fall asleep, but the sleep is good. Moves a lot, talking and one time even screamed.
- **Breathing:** A bit of barking cough, in general it is reasonable.
- The kindergarten teacher is back positive effect.
- **Night sweats**: Balanced.
- Summery of the treatment after 3 months: Since the beginning of the treatment he had one attack he was treated with herbs and than with acupuncture
- Today he received an Hepatitis A vaccine.





T: SP-6

Niv (2 1/2)

No siblings

- 3-4 days ago, a feeling of low fever, Emotional restlessness anxiety.
- Next week the kindergarten is changing location, he will be at home in this week.
- The mother thinks that the anxiety is from her.
- He coughs the kindergarten teacher sais that all the children are coughing.
- Yesterday a follow-up with breathing specialist the lungs are clean.
- In the last night he had an unusual restlessness.

+	_	+	_	+	_
/		/		/	\
Mot	her	Fat	her	Ni	V
\backslash W	/	\w	/	\w	/

12.8.14 (1 week later) Treatment No. 9

Treatment 10. 7				
Num ber	Time from previous treatment	Date	Treatment	
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	
4	2 weeks	9.6.14	SP-6	
5	2 weeks	23.6.14	KID-3	
6	2 weeks	7.7.14	KID-10	
7	2 weeks	23.7.14	GV-16(G)	
8	2 weeks	4.8.14	SP-6	

T: CO-11(G)

Niv (2 1/2)

New sister

- **Breathing:** Excellent.
- Few days ago red face.
- Yesterday Flu Vaccine.
- Emotions Stable.
- After his sister birth it was difficult flashes of anger, aggression, restlessness, but it improving.
- **Sleeping:** since the birth he wakeup and comes to his parents bed every night. No nightmares and not talking.
- Salivation: Alternately.
- Very stubborn.
- His eyes opened to the nature.

4.11.14 (3 months later) Treatment No. 10

Num ber	Time from previous treatment	Date	Treatment
1	-	5.5.14	CO-11
2	1 week	12.5.14	CO-11(G)
3	2 weeks	26.5.14	LIV-2°
4	2 weeks	9.6.14	SP-6
5	2 weeks	23.6.14	KID-3
6	2 weeks	7.7.14	KID-10
7	2 weeks	23.7.14	GV-16(G)
8	2 weeks	4.8.14	SP-6
9	1 week	12.8.14	CO-11(G)



T: LIV-3

Niv (2 1/2)

New sister

•	After	the	vaccine	more	phlegm.
---	-------	-----	---------	------	---------

- Recently few days of worsening rhinitis and cough.
- Started to stutter.
- **Emotions Stable.**
- His attitude to his sister is improving.
- Emotionally more calm, but sometimes tantrums, worsen in fatigue, more than once a week.
- **Sleeping:** In the last nights not calm, talking.
- The rhinitis and the cough not developed to attack

18.11.14 (2 weeks later) Treatment No. 11				
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	
4	2 weeks	9.6.14	SP-6	
5	2 weeks	23.6.14	KID-3	
6	2 weeks	7.7.14	KID-10	
7	2 weeks	23.7.14	GV-16(G)	
8	2 weeks	4.8.14	SP-6	
9	1 week	12.8.14	CO-11(G)	
10	3 months	4.11.14	LIV-3	




Niv (2 1/2)

New sister

- Rhinitis and cough 4 days.
- Nightmares 4 nights together with the rhinitis.
- Calm relatively to him self
- Attitude to his sister wonderful.
- Salivation less than before.
- Today the cough become dry and annoying.

	11.12.14 (3 weeks later) Treatment No. 12				
1	-	5.5.14	CO-11		
2	1 week	12.5.14	CO-11(G)		
3	2 weeks	26.5.14	LIV-2°		
4	2 weeks	9.6.14	SP-6		
5	2 weeks	23.6.14	KID-3		
6	2 weeks	7.7.14	KID-10		
7	2 weeks	23.7.14	GV-16(G)		
8	2 weeks	4.8.14	SP-6		
9	1 week	12.8.14	CO-11(G)		
10	3 months	4.11.14	LIV-3		
11	2 weeks	18.11.14	LIV-2°		



Niv (2 1/2)

New sister

- 2 nights ago he was crying and fighting while sleeping.
- 2 days before he had birthday they did something small.
- In the last night a stridor attack Broncho inhalator.
- In the kindergarten he was coughing and throw-out twice a lot of phlegm.



T: LIV-2°

30.12.14 (3 weeks later) Treatment No. 13

1	-	5.5.14	CO-11
2	1 week	12.5.14	CO-11(G)
3	2 weeks	26.5.14	LIV-2°
4	2 weeks	9.6.14	SP-6
5	2 weeks	23.6.14	KID-3
6	2 weeks	7.7.14	KID-10
7	2 weeks	23.7.14	GV-16(G)
8	2 weeks	4.8.14	SP-6
9	1 week	12.8.14	CO-11(G)
10	3 months	4.11.14	LIV-3
11	2 weeks	18.11.14	LIV-2°
12	3 weeks	11.12.14	LIV-2°

Niv (2 1/2) 0

New sister

• Now in attack.


T: SP4, LIV-1°

8.1.15 (9 days later) Treatment No. 14

-	5.5.14	CO-11
1 week	12.5.14	CO-11(G)
2 weeks	26.5.14	LIV-2°
2 weeks	9.6.14	SP-6
2 weeks	23.6.14	KID-3
2 weeks	7.7.14	KID-10
2 weeks	23.7.14	GV-16(G)
2 weeks	4.8.14	SP-6
1 week	12.8.14	CO-11(G)
3 months	4.11.14	LIV-3
2 weeks	18.11.14	LIV-2°
3 weeks	11.12.14	LIV-2°
3 weeks	30.12.14	LIV-2°
	2 weeks 2 weeks 2 weeks 2 weeks 2 weeks 2 weeks 1 week 3 months 2 weeks 3 weeks	1 week 12.5.14 2 weeks 26.5.14 2 weeks 9.6.14 2 weeks 23.6.14 2 weeks 7.7.14 2 weeks 23.7.14 2 weeks 4.8.14 1 week 12.8.14 3 months 4.11.14 2 weeks 18.11.14 3 weeks 11.12.14

Niv (2 1/2) 0

New sister



• Now in attack.

T: LIV-2°, LU-7


(2 weeks later) Treatment No. 15				
1	-	5.5.14	CO-11	
2	1 week	12.5.14	CO-11(G)	
3	2 weeks	26.5.14	LIV-2°	
4	2 weeks	9.6.14	SP-6	
5	2 weeks	23.6.14	KID-3	
6	2 weeks	7.7.14	KID-10	
7	2 weeks	23.7.14	GV-16(G)	
8	2 weeks	4.8.14	SP-6	
9	1 week	12.8.14	CO-11(G)	
10	3 months	4.11.14	LIV-3	
11	2 weeks	18.11.14	LIV-2°	
12	3 weeks	11.12.14	LIV-2°	
13	3 weeks	30.12.14	LIV-2°	
14	9 days	8.1.15	SP-4, LIV-1 °	

20.1.15

Niv (2 1/2) 0

New sister

- 24 hours after the treatment he was out of the attack.
- 2 days ago red face again.
- Yesterday yellow rhinitis and cough.
- This morning dry cough.




27.1.15 (1 week later) Treatment No. 16

1	-	5.5.14	CO-11
2	1 week	12.5.14	CO-11(G)
3	2 weeks	26.5.14	LIV-2°
4	2 weeks	9.6.14	SP-6
5	2 weeks	23.6.14	KID-3
6	2 weeks	7.7.14	KID-10
7	2 weeks	23.7.14	GV-16(G)
8	2 weeks	4.8.14	SP-6
9	1 week	12.8.14	CO-11(G)
10	3 months	4.11.14	LIV-3
11	2 weeks	18.11.14	LIV-2°
12	3 weeks	11.12.14	LIV-2°
13	3 weeks	30.12.14	LIV-2°
14	9 days	8.1.15	SP-4, LIV-1 °
15	2 weeks	20.1.15	LIV-2°. LU-7

Niv (2 1/2)

New sister



- He had a good 3 weeks
- T: LIV-2°, LU-7
- 5 days ago low fever.
- 3 days ago 48 hours of fever, it was reasonable, but his behave was problematic, he broke all the roles.
- He was annoying, crying, insulted, horrible restlessness. The mother lost her temper twice, he pulled her hair and she started to cry, he was frighten and started to cough and to throw-out. Yesterday he stepped on his sister's toy and the mother shouted strongly towards him. He had a terrifying look in his eyes. In the morning he pooped in his pens. It never happened before. When he out of home he behave properly.


19.2.15 (3 week later) Treatment No. 17

1	-	5.5.14	CO-11
2	1 week	12.5.14	CO-11(G)
3	2 weeks	26.5.14	LIV-2°
4	2 weeks	9.6.14	SP-6
5	2 weeks	23.6.14	KID-3
6	2 weeks	7.7.14	KID-10
7	2 weeks	23.7.14	GV-16(G)
8	2 weeks	4.8.14	SP-6
9	1 week	12.8.14	CO-11(G)
10	3 months	4.11.14	LIV-3
11	2 weeks	18.11.14	LIV-2°
12	3 weeks	11.12.14	LIV-2°
13	3 weeks	30.12.14	LIV-2°
14	9 days	8.1.15	SP-4, LIV-1 °
15	2 weeks	20.1.15	LIV-2°, LU-7
16	1 week	27.1.15	KI-2°

Niv (2 1/2)

New sister

- 2 days ago felt hot and started to cough.
- But yesterday it improved by itself.
- They come to have the spring treatment.



T: CO-11(Spring)

10.3.15 (3 week later) Treatment No. 18

1	-	5.5.14	CO-11
2	1 week	12.5.14	CO-11(G)
3	2 weeks	26.5.14	LIV-2°
4	2 weeks	9.6.14	SP-6
5	2 weeks	23.6.14	KID-3
6	2 weeks	7.7.14	KID-10
7	2 weeks	23.7.14	GV-16(G)
8	2 weeks	4.8.14	SP-6
9	1 week	12.8.14	CO-11(G)
10	3 months	4.11.14	LIV-3
11	2 weeks	18.11.14	LIV-2°
12	3 weeks	11.12.14	LIV-2°
13	3 weeks	30.12.14	LIV-2°
14	9 days	8.1.15	SP-4, LIV-1 °
15	2 weeks	20.1.15	LIV-2°, LU-7
16	1 week	27.1.15	KI-2°
17	3 weeks	19.2.15	LIV-2°, LU-7

		NIV	
1	-	5.5.14	CO-11
2	1 week	12.5.14	CO-11(G)
3	2 weeks	26.5.14	LIV-2°
4	2 weeks	9.6.14	SP-6
5	2 weeks	23.6.14	KID-3
6	2 weeks	7.7.14	KID-10
7	2 weeks	23.7.14	GV-16(G)
8	2 weeks	4.8.14	SP-6
9	1 week	12.8.14	CO-11(G), CO-11(G), CO-11(G) New sister, and new kindergarten
10	2 weeks	26.8.14	K-3
11	3 months	18.11.14	LIV-2°
12	1 months	11.12.14	LIV-2°
13	1 week	30.12.14	LIV-2°
14	1 week	8.1.15	SP-4. LIV-1°
15	2 weeks	20.1.15	LIV-2°, LU-7
16	1 week	27.1.15	KI-2°
17	3 weeks	19.2.15	LIV-2°, LU-7
18	3 weeks	10.3.15	CO-11(Spring)